

Test Report

號碼(No.): ETR23303492 頁數(Page): 1 of 11 日期(Date): 22-Mar-2023

瑞佑科技股份有限公司 (RAIO TECHNOLOGY INC.)

新竹縣竹北市台元一街8號6樓之5 (6F-5, NO. 8, TAI YUEN 1ST STREET, CHUPEI CITY, HSINCHU, 30288 TAIWAN)

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by the applicant as):

送樣廠商(Sample Submitted By)

瑞佑科技股份有限公司 (RAIO TECHNOLOGY INC.)

樣品名稱(Sample Name)

LCD CONTROLLER & DRIVER (LCD 控制器 & 驅動器)

樣品型號(Style/Item No.)

RA0086AL3N \ RA8806L2N \ RA8806AL2N \ RA8806T1N \ RA8835AP3N \ RA6963L2N \ RA8876L4N \ RA8877L4N \ RA8871ML4N \ RA8873ML4N \ RA8876ML4N \ RA6807MQ4N \ RA8875L3N \ RA8889ML3N \ RA8816N \

收件日(Sample Receiving Date)

15-Mar-2023

RA8808

測試期間(Testing Period)

15-Mar-2023 to 22-Mar-2023

測試需求(Test Requested)

依據客戶要求進行測試,測試項目請參閱測試結果表格。(Testing item(s) is/are specified by client. Please refer to result table for testing item(s).)

測試結果(Test Results)

請參閱下一頁 (Please refer to following pages.)





PIN CODE: 2191B34F



Test Report

號碼(No.): ETR23303492 日期(Date): 22-Mar-2023 頁數(Page): 2 of 11

瑞佑科技股份有限公司 (RAIO TECHNOLOGY INC.)

新竹縣竹北市台元一街8號6樓之5 (6F-5, NO. 8, TAI YUEN 1ST STREET, CHUPEI CITY, HSINCHU, 30288 TAIWAN)

測試部位敘述 (Test Part Description)

No.1 : 整體混測 (MIXED ALL PARTS)

測試結果 (Test Results)

測試項目	測試方法	單位	MDL	結果
(Test Items)	(Method)	(Unit)		(Result)
		4		No.1
鎘 (Cd) (Cadmium (Cd))	參考IEC 62321-5: 2013 · 以感應耦合電漿發射光	mg/kg	2	n.d.
	譜儀分析。(With reference to IEC 62321-5:			
	2013, analysis was performed by ICP-OES.)			
鉛 (Pb) (Lead (Pb))	參考IEC 62321-5: 2013 · 以感應耦合電漿發射光	mg/kg	2	n.d.
	譜儀分析。(With reference to IEC 62321-5:			
	2013, analysis was performed by ICP-OES.)			
汞 (Hg) (Mercury (Hg))	参考IEC 62321-4: 2013+ AMD1: 2017,以感應耦	mg/kg	2	n.d.
	合電漿發射光譜儀分析。(With reference to IEC			
	62321-4: 2013+ AMD1: 2017, analysis was			
	performed by ICP-OES.)			
六價鉻 Cr(VI) (Hexavalent Chromium	參考IEC 62321-7-2: 2017·以紫外光-可見光分光	mg/kg	8	n.d.
Cr(VI))	光度計分析。(With reference to IEC 62321-7-2:			
	2017, analysis was performed by UV-VIS.)			
一溴聯苯 (Monobromobiphenyl)		mg/kg	5	n.d.
二溴聯苯 (Dibromobiphenyl)		mg/kg	5	n.d.
三溴聯苯 (Tribromobiphenyl)		mg/kg	5	n.d.
四溴聯苯 (Tetrabromobiphenyl)		mg/kg	5	n.d.
五溴聯苯 (Pentabromobiphenyl)	参考IEC 62321-6: 2015·以氣相層析儀/質譜儀分	mg/kg	5	n.d.
六溴聯苯 (Hexabromobiphenyl)	析。(With reference to IEC 62321-6: 2015,	mg/kg	5	n.d.
七溴聯苯 (Heptabromobiphenyl)	analysis was performed by GC/MS.)	mg/kg	5	n.d.
八溴聯苯 (Octabromobiphenyl)		mg/kg	5	n.d.
九溴聯苯 (Nonabromobiphenyl)		mg/kg	5	n.d.
十溴聯苯 (Decabromobiphenyl)		mg/kg	5	n.d.
多溴聯苯總和 (Sum of PBBs)		mg/kg	-	n.d.



Test Report

號碼(No.): ETR23303492 日期(Date): 22-Mar-2023 頁數(Page): 3 of 11

瑞佑科技股份有限公司 (RAIO TECHNOLOGY INC.)

新竹縣竹北市台元一街8號6樓之5 (6F-5, NO. 8, TAI YUEN 1ST STREET, CHUPEI CITY, HSINCHU, 30288 TAIWAN)

測試項目	測試方法	單位	MDL	結果
(Test Items)	(Method)	(Unit)		(Result)
				No.1
一溴聯苯醚 (Monobromodiphenyl ether)	参考IEC 62321-6: 2015・以氣相層析儀/質譜儀分析。(With reference to IEC 62321-6: 2015, analysis was performed by GC/MS.)	mg/kg	5	n.d.
二溴聯苯醚 (Dibromodiphenyl ether)		mg/kg	5	n.d.
三溴聯苯醚 (Tribromodiphenyl ether)		mg/kg	5	n.d.
四溴聯苯醚 (Tetrabromodiphenyl ether)		mg/kg	5	n.d.
五溴聯苯醚 (Pentabromodiphenyl ether)		mg/kg	5	n.d.
六溴聯苯醚 (Hexabromodiphenyl ether)		mg/kg	5	n.d.
七溴聯苯醚 (Heptabromodiphenyl ether)		mg/kg	5	n.d.
八溴聯苯醚 (Octabromodiphenyl ether)		mg/kg	5	n.d.
九溴聯苯醚 (Nonabromodiphenyl ether)		mg/kg	5	n.d.
十溴聯苯醚 (Decabromodiphenyl ether)		mg/kg	5	n.d.
多溴聯苯醚總和 (Sum of PBDEs)		mg/kg	-	n.d.
鄰苯二甲酸丁苯甲酯 (BBP) (Butyl benzyl phthalate (BBP))	參考IEC 62321-8: 2017·以氣相層析儀/質譜儀分析。(With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.
鄰苯二甲酸二丁酯 (DBP) (Dibutyl phthalate (DBP))		mg/kg	50	n.d.
鄰苯二甲酸二(2-乙基己基)酯 (DEHP) (Di- (2-ethylhexyl) phthalate (DEHP))		mg/kg	50	n.d.
鄰苯二甲酸二異丁酯 (DIBP) (Diisobutyl phthalate (DIBP))		mg/kg	50	n.d.
氟 (F) (Fluorine (F)) (CAS No.: 14762-94-8)	参考BS EN 14582: 2016·以離子層析儀分析。 (With reference to BS EN 14582: 2016, analysis was performed by IC.)	mg/kg	50	n.d.
氯 (Cl) (Chlorine (Cl)) (CAS No.: 22537- 15-1)		mg/kg	50	n.d.
溴 (Br) (Bromine (Br)) (CAS No.: 10097- 32-2)		mg/kg	50	n.d.
碘 (I) (Iodine (I)) (CAS No.: 14362-44-8)		mg/kg	50	n.d.
全氟辛烷磺酸及其鹽類 (PFOS and its salts) (CAS No.: 1763-23-1 and its salts)	参考CEN/TS 15968: 2010·以液相層析串聯質譜 儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.
全氟辛酸及其鹽類 (PFOA and its salts) (CAS No.: 335-67-1 and its salts)		mg/kg	0.01	n.d.



Test Report

號碼(No.): ETR23303492 日期(Date): 22-Mar-2023 頁數(Page): 4 of 11

瑞佑科技股份有限公司 (RAIO TECHNOLOGY INC.)

新竹縣竹北市台元一街8號6樓之5 (6F-5, NO. 8, TAI YUEN 1ST STREET, CHUPEI CITY, HSINCHU, 30288 TAIWAN)

備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 0.1% = 1000ppm
- 2. MDL = Method Detection Limit (方法偵測極限值)
- 3. n.d. = Not Detected (未檢出); 小於MDL / Less than MDL
- 4. "-" = Not Regulated (無規格值)
- 5. 全氟辛烷磺酸及其鹽類包含等物質 (PFOS and its salts including):

CAS No.: 1763-23-1, 2795-39-3, 29457-72-5, 29081-56-9, 70225-14-8, 56773-42-3, 251099-16-8, 307-35-7, 91036-71-4, 4021-47-0 and others.

- 6. 全氟辛酸及其鹽類包含等物質 (PFOA and its salts including):
 - CAS No.: 335-67-1, 335-95-5, 2395-00-8, 335-93-3, 335-66-0, 3825-26-1 and others.
- 7. 樣品的測試是基於申請人要求混合測試,報告中的混合測試結果不代表其中個別單一材質的含量。
 The sample(s) was/were analyzed on behalf of the applicant as mixing sample in one testing. The above result(s) was/were only given as the informality value.



Test Report

號碼(No.): ETR23303492 日期(Date): 22-Mar-2023

頁數(Page): 5 of 11


瑞佑科技股份有限公司 (RAIO TECHNOLOGY INC.)

新竹縣竹北市台元一街8號6樓之5 (6F-5, NO. 8, TAI YUEN 1ST STREET, CHUPEI CITY, HSINCHU, 30288 TAIWAN)

重金屬流程圖 / Analytical flow chart of heavy metal

根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外)

These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr^{6+} test method excluded)





Test Report

號碼(No.): ETR23303492


日期(Date): 22-Mar-2023

頁數(Page): 6 of 11

瑞佑科技股份有限公司 (RAIO TECHNOLOGY INC.)

新竹縣竹北市台元一街8號6樓之5 (6F-5, NO. 8, TAI YUEN 1ST STREET, CHUPEI CITY, HSINCHU, 30288 TAIWAN)

多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBBs/PBDEs






Test Report

號碼(No.): ETR23303492 日期(Date): 22-Mar-2023 頁數(Page): 7 of 11

瑞佑科技股份有限公司 (RAIO TECHNOLOGY INC.) 新竹縣竹北市台元一街8號6樓之5 (6F-5, NO. 8, TAI YUEN 1ST STREET, CHUPEI CITY, HSINCHU, 30288 TAIWAN)

可塑劑分析流程圖 / Analytical flow chart - Phthalate

【測試方法/Test method: IEC 62321-8】





Test Report


號碼(No.): ETR23303492 日期(Date): 22-Mar-2023

頁數(Page): 8 of 11

瑞佑科技股份有限公司 (RAIO TECHNOLOGY INC.)

新竹縣竹北市台元一街8號6樓之5 (6F-5, NO. 8, TAI YUEN 1ST STREET, CHUPEI CITY, HSINCHU, 30288 TAIWAN)

鹵素分析流程圖 / Analytical flow chart - Halogen






Test Report

號碼(No.): ETR23303492 日期(Date): 22-Mar-2023 頁數(Page): 9 of 11

瑞佑科技股份有限公司 (RAIO TECHNOLOGY INC.) 新竹縣竹北市台元一街8號6樓之5 (6F-5, NO. 8, TAI YUEN 1ST STREET, CHUPEI CITY, HSINCHU, 30288 TAIWAN)

全氟化合物(包含全氟辛酸/全氟辛烷磺酸/其相關化合物等等)分析流程圖 / Analytical flow chart – PFAS (including PFOA/PFOS/its related compound, etc.)





Test Report

號碼(No.): ETR23303492 日期(Date): 22-Mar-2023

頁數(Page): 10 of 11

瑞佑科技股份有限公司 (RAIO TECHNOLOGY INC.)


新竹縣竹北市台元一街8號6樓之5 (6F-5, NO. 8, TAI YUEN 1ST STREET, CHUPEI CITY, HSINCHU, 30288 TAIWAN)

* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)

ETR23303492



ETR23303492






Test Report

號碼(No.): ETR23303492 日期(Date): 22-Mar-2023 頁數(Page): 11 of 11

瑞佑科技股份有限公司 (RAIO TECHNOLOGY INC.) 新竹縣竹北市台元一街8號6樓之5 (6F-5, NO. 8, TAI YUEN 1ST STREET, CHUPEI CITY, HSINCHU, 30288 TAIWAN)

ETR23303492



** 報告結尾 (End of Report) **